

Technical Requirements

General

- High quality, clean PA systems only (d&b preferred), with good coverage of all areas of the auditorium.
- Mix position must be in the same room as audience, no booths or boxes.
- 31-band graphics on FoH and monitor sends.

Monitors

4 wedges on individual sends

If analogue desk is supplied, then:

- Minimum 16 channels, all with 4 band eq and 6 aux sends.
- 4 Channels of compression.
- 1 high quality reverb unit.

FOH Sound Engineer (UK only)

NEIL FERGUSON
neilferg99@gmail.com
+447816 789885



Stage Plan

DAVID

- 1. Piano DI
- 2. Piano DI

7. VOX

DAVID

MONITOR MIX 1

3. Accordion XLR (RH)

4. Accordion XLR (LH) 8. **VOX**

MICHAEL

5. Guitar XLR

9. VOX

SEAN

10. VOX

ALL

6. Condensor VOX

MONITOR MIX 2

MONITOR MIX 3

> **MONITOR** MIX 4

FRONT OF STAGE

Channel Listing:

1	Piano 1	DI Box req
2	Piano 2	DI Box req
3	Accordion	Treble - Requires +48 Phantom Power
4	Accordion	Bass - Requires +48 Phantom Power
5	Guitar	XLR Line req - Own DI box supplied
6	Condenser Mic	Large Vocal Condenser Mic Req
7	David Vox (Piano)	
8	David Vox (Front Stage Right)	
9	Michael Vox (Centre)	
10	Sean Vox (Stage Left)	

Backline

For international shows only, please provide the following:

- Nord Stage Piano or equivalent.
- 1x Large Vocal Condenser Microphone

Please contact Michael Hughes (michaelthomashughes@yahoo.co.uk) if you have any queries.

For UK shows (venues and festivals), please provide the following:

• 1x Large Vocal Condenser Microphone